

2

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
12 July 2001 (12.07.2001)

PCT

(10) International Publication Number
WO 01/50345 A1

(51) International Patent Classification: G06F 17/30

(21) International Application Number: PCT/KR00/00505

(22) International Filing Date: 20 May 2000 (20.05.2000)

(25) Filing Language: Korean

(26) Publication Language: English

(30) Priority Data:
1999/60254 22 December 1999 (22.12.1999) KR

(71) Applicant and

(72) Inventor: KIM, Chungtae [KR/KR]; 116-1202
Kachi maul, 77, Goomi-dong, Bundang-ku, Sungnam-shi,
Kyunggi-do 463-500 (KR).(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SI, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published:

— With international search report.

(74) Agent: KIM, Yongsik; The Cheonghwa Bldg., 1571-18
Seocho-dong, Seocho-gu, Seoul 137-073 (KR).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: INFORMATION MODELING METHOD AND DATABASE SEARCHING METHOD USING THE INFORMATION MODELING METHOD



(57) Abstract: An information modeling method receives various kinds of data; analyzes the data into semantic elements, that is, temporal information data including temporal information, spatial information data including spatial information indicating locations, object information data including object information which is an object of the function of data other than the temporal information data and the spatial information data and which interacts with the other data, and thing information data including the remaining thing information other than the temporal information, the spatial information and the object information; and establishes a database which is composed of an action including at least one among the temporal information data, spatial information data, object information data and thing information data, a module which is a higher group of the action, and a situation which is a higher group of the module, using the analyzed data. In a search system constructed according to this information modeling method, information input by user is connected to a database and is analyzed into semantic elements such as time, space, situation name and keyword. Then, the database is searched for actions, modules and situations including the semantic elements so that the information requested by the user can be extracted.

BEST AVAILABLE COPY

WO 01/50345 A1

INFORMATION MODELING METHOD AND DATABASE SEARCHING METHOD USING THE INFORMATION MODELING METHOD

Technical Field

5 The present invention relates to an information modeling method and a database search system, and more particularly, to an information modeling method of receiving and analyzing data into a temporal element, a spatial element, a object element and/or thing element and establishing a database using the analyzed semantic elements, and a search method
10 of extracting only information, which meets a user's request for information, using the established database.

Background Art

Modeling is to suggest a frame work at a system analysis and design
15 step during establishment of a database or an information system. Generally, modeling is divided into conceptual modeling, logical modeling and physical modeling. There are conventional modeling methods such as entity relationship (ER) modeling for development of a relational database, object oriented analysis and design (OOAD) modeling for development of
20 an object oriented database, and hierarchical data modeling for development of a hierarchical database.

For the ER modeling, data is indexed using an entity relationship between entities or between entities' attributes during design of a database so that a database user or designer can define data needed. In order to
25 realize the result of the ER modeling as a relational database, requests for data defined through the ER modeling should be represented by a format defined at the relational database, that is, by a table. To table the requests, each entity is organized into a single table, and relationships between tables of each entity are organized into a separate table (conversion into
30 a entity table) or added to the entity's table as an item (conversion into a

relationship table). In the case of tabling a relationship between entities, for a 1:N relationship, to the table of an entity having a single relationship with respect to the other entities is added the key attribute of the other entity as another item. For a 1:1 relationship, since either of two entities
5 has a single relationship with the other one, the attribute of one entity is added to the table of the other entity.

For the OOAD modeling, a single information entity in the real world is represented by an object into which a data structure and behavior are combined. OOAD describes a query object in complementary view of
10 information, dynamic and function, using object modeling, dynamic modeling and functional modeling with basic concepts of a class, which includes an object, the attribute, behavior of the object and a set of similar objects, and a relationship between objects, thereby suggesting a model close to the appearance of the real world. The object modeling is to find an
15 object requested by a user and investigate a relationship between objects and their attributes and the objects. The dynamic modeling is to show a life cycle including the behavior of the objects investigated by the object modeling and including the states of the objects. The functional modeling is to describe behavior in response to a change in the form of each object
20 disclosed by the dynamic modeling.

In the hierarchical data modeling, related information is hierarchically arranged, having a form like a systematic diagram referred to as a tree structure. A hierarchical structure has a 1:n relationship. In this relationship, a parent-child relationship (PCR) is included, and a child
25 cannot be involved in two or more PCRs.

In databases established according to the conventional information modeling methods described above, data is stored in the form of files. When a query is entered, a whole document including the query is retrieved. Accordingly, a search method suitable for a database
30 established according to a conventional information modeling method is

restricted to a search based on a keyword such as a person's name or an event's name.

Moreover, in the case of multimedia data such as a moving image displayed in the form of consecutive images, there is a disadvantage in that
5 the multi-data should be sequentially searched from the beginning for a portion needed by a user.

Disclosure of the Invention

To solve the above problems, it is a first object of the present
10 invention to provide an information modeling method for extracting desired information only such as historical materials, industrial information, documents, educational information or video information which is requested by a user, by connecting to a database including data corresponding to the above materials, performing modeling by analyzing input information into
15 semantic elements such as a temporal element, spatial element, temporal and spatial element, situation name and keyword which are the elements of the user's request, and searching the database for a situation, module and action related to the analyzed user's request.

It is a second object of the present invention to provide a search
20 method for allowing a user to search desired information only by using the above information modeling method of the present invention.

Accordingly, to achieve the above objects of the present invention, various kinds of data is analyzed into temporal information data including temporal information, spatial information data including spatial information
25 indicating locations, object information data including object information which is an object of the function of data other than the temporal information data and the spatial information data and which interacts with the other data, and thing information data including the remaining thing information other than the temporal information, the spatial information and
30 the object information. A database is formed by establishing a diagram

composed of an action, i.e., a minimum semantic unit, a module and a situation using the temporal information data, the spatial information data, the object information data and the thing information data. The module includes a first action and at least one other action related to at least one
5 of the temporal information data, the spatial information data, the object information data and the thing information data of the first action. The situation includes a first module and at least one other module related to at least one of the temporal information data, the spatial information data, the object information data and the thing information data of the first module.
10 Information requested by a user is extracted using the database and externally displayed.

According to the present invention, probability of searching for only information desired by a user increases. In addition, since a database system using information modeling according to the present invention can
15 process a user's request for information and can be extended simply by adding data, update and modification of the system is not necessary. Accordingly, cost for the update and modification of the system can be saved, and the inconvenience of using the system can be reduced.

20 Brief Description of the Drawings

FIG. 1 is a flowchart of information modeling according to the present invention;

FIG. 2 is a block diagram of an embodiment of information modeling according to the present invention;

25 FIG. 3 is a block diagram of a procedure in which information input by a user is adapted to a group through analysis for information requested;

FIG. 4 is a block diagram of a procedure of making a separate feature list of a database;

FIG. 5 is a block diagram of the hierarchical structure of a group;

30 FIG. 6A is a graph of the temporal and spatial flow of situations in an

information modeling method according to the present invention;

FIG. 6B is a graph of the temporal and spatial flow of modules in a situation in an information modeling method according to the present invention;

5 FIG. 6C is a graph of the temporal and spatial flow of actions at a module in a situation in an information modeling method according to the present invention;

FIG. 6D is a graph of the locations of actions in the flow of the actions in an information modeling method according to the present
10 invention;

FIG. 7 is a flowchart of a data search method according to the present invention; and

FIG. 8 is a block diagram of a procedure of storing information features in a data search method.

15

Best mode for carrying out the Invention

An embodiment of the present invention will be described in detail with reference to the attached drawings.

Referring to FIG. 1, an information modeling method includes a data
20 input step 10, step 30 of analyzing data input by a user, step 50 of establishing a database and step 60 of extracting information requested using the established database. In the data analyzing step 30, various kinds of data is analyzed into temporal information data 31 including temporal information, spatial information data 32 including spatial
25 information indicating locations, object information data 33 including object information which is an object of the function of data other than the temporal information data 31 and the spatial information data 32 and which interacts with the other data, and thing information data 34 including the remaining thing information other than the temporal information, the spatial
30 information and the object information. In the step 50 of establishing a

database, the analyzed data is arranged to form on a diagram. The diagram is composed of an action containing at least one among the temporal information data, the spatial information data, the object information data and the thing information data; a module including a first
5 action and another action having data related to data constituting the first action; and a situation including a first module and another module having data related to data constituting the first module.

An embodiment of information modeling according to the present invention is shown in FIGS. 2 through 6D. In FIG. 2, reference numeral 200
10 denotes an analyzing step for information requested, and reference numeral 300 denotes the step of establishing a database. In the analyzing step 200, input data 10_0 through 10_n is analyzed into temporal information data 211, spatial information data 212, object information data 213 and thing information data 214. Next, the temporal information data, the spatial
15 information data, the object information data and the thing information data are led to corresponding unit cells 231, 232, 233 and 234, respectively. The analyzing step includes step 215 of forming expressive properties by defining each of the temporal information data, the spatial information data, the object information data and the thing information data as a formula in
20 view of the name of at least one unit cell, step 216 of looking up the data names of the expressive properties, and step 217 of defining a path to each expressive property's data name used for determining a value of the expressive property. The step 216 of looking up the data names of the expressive properties includes a step of performing extensive look-up with
25 respect to the temporal information data, the spatial information data, the object information data and the thing information data. The extensive look-up step is a procedure of forming a data feature list for analysis of information. In the extensive look-up step, the temporal information data name, spatial information data name, object information data name and
30 thing information data name of the expressive properties are looked up to

form at least one feature list 220. The feature list 220 includes a temporal information data list 221, a spatial information data list 222, an object information data list 223 and a thing information data list 224. Meanwhile, the analyzing step for information requested further includes a step 240 of forming a common feature list 240, which can be commonly applied to data generated from the unit cells, and a separate feature list 242 for leading input data to the corresponding unit cells. The analyzing step further includes a feature identification step 235 of identifies each unit cell as unique one discriminated from the others in terms of the temporal information data 211, the spatial information data 212, the object information data 213 and the thing information data 214.

FIG. 3 is a block diagram of a procedure in which information input by a user is adapted to a group through analysis for information requested. In the database establishment step 300 includes a step of forming a group 310 in which the unit cells corresponding to the temporal information data 211, the spatial information data 212, the object information data 213 and the thing information data 214 are assembled in a set having a common feature. Here, the group 310 has many sets having a common feature and has at least one member property.

The hierarchical structure of the group 310 formed in the database establishment step is shown in FIG. 5. The group 310 includes actions 34_0 through 34_n , modules 33_0 through 33_m and situations 32_0 through 32_n . Each action is a minimum semantic unit including temporal information data, spatial information data, object information data and thing information data. Each module includes a first action and at least one other action related to at least one of the temporal information data, spatial information data, object information data and thing information data of the first action. Each situation includes a module and at least one other module related to at least one of the temporal information data, spatial information data, object information data and thing information data of the former module. Each of

the action, module and situation includes independent information content.

FIG. 4 is a block diagram of a procedure of making a separate feature list in a database establishment step. The procedure includes a property formation step 260 of defining a formula in view of at least one group composed of a plurality of unit cells corresponding to the temporal information data, spatial information data, object information data and thing information data which are included in the group 310; a step 270 of looking up the group name of a property in a plurality of groups 31₀ through 31_n; and a step 280 of defining a path to the property's group name used for determining a value of the property. Relationships among a unit cell, an action including the unit cell, another action, a first module including an action, another module, still another module including the first module, and a preceding module can be understood based on the name and the path.

The step 270 includes extensive look-up with respect to the plurality of groups. In the extensive look-up, the group name having a given property is looked up to form at least one list 270.

FIGS. 6A through 6D are graphs showing the spatial and temporal flows of situations, modules and actions in an information modeling method according to the present invention. A situation may be an independent single unit and may depend on preceding and succeeding situations. A situation is divided from the other situations based on time and space, and related situations are in a hierarchical flow. Similarly, either of a module and an action may be an independent single unit and may depend on preceding and succeeding modules or actions. Either of a module and an action divided from the other ones in a temporal and spatial domain. Modules and actions have hierarchical flows.

Picture 1

5 {((God) created the [heavens] and the
 [earth.]) (Now the [earth] was formless and
 empty),(darkness was over the surface of
 the deep), and (the Spirit of (God) was
 hovering over the waters))}

For example, Picture 1 is excerpted from Genesis of the Bible.
 Entire Genesis is considered as a situation, and paragraphs are considered
 10 as modules. A module is represented by { }, an action is represented by (),
 an object is represented by ○, and a thing is represented by □. Here,
 a main module is that "God" created the "heaven" and the "earth". A
 relationship between an essential object and an essential thing expresses
 an action.

15 As described above, an action is a minimum semantic unit including
 at least one among the temporal information data, spatial information data,
 object information data and thing information data.

/ FIG. 7 is a flowchart of a search method using a database
 established through information modeling according to the present
 20 invention. The search method includes a step 500 of receiving a user's
 request for information through an interface such as a computer terminal,
 a step 600 of analyzing the received request for information, a step 700 of
 searching a database established according to the above modeling method,
 a step 800 of extracting data, and a step 900 of displaying the data.

25 Once a plurality of pieces of information expressing the user's
 request is input, in the step 600, the information is analyzed into at least
 one of temporal information data, spatial information data, object
 information data and thing information data according to the above
 information modeling method, and a group including an action, a situation
 30 and a module is constituted based on the analyzed data. In the step 700,

a database 72₀ is searched. The database 72₀ includes at least one situation which includes a module and at least one other module related to at least one among the temporal information data, spatial information data, object information data and thing information data contained in the former
5 module. A module includes a first action and at least one other action related to at least one among the temporal information data, spatial information data, object information data and thing information data of the first action. An action, a minimum semantic unit, includes the temporal information data containing temporal information, spatial information data
10 containing spatial information indicating locations, object information data containing object information which is an object of the function of data other than the temporal information data and spatial information data and which interacts with the other data, and thing information data including the remaining thing information other than the temporal information, the spatial
15 information and the object information. Any of the situation, module and action contains independent information content. Referring to FIG. 8, in searching a database, an action 34₀'-34₁' including temporal information data, spatial information data, object information data and/or thing information data corresponding to the analyzed information data is looked
20 up in the database. In addition, a module 33₀'-33_m' which is the higher group of the action and a situation 32₀'-32_n' which is the higher group of the module are looked up so that data meeting the user's request can be derived.

Next, in the step 800, a data comparator performs an appropriate
25 operation on the derived data and the plurality of pieces of information of the user's request in step 810, and the data containing the user's request is arranged and processed in step 820. In performing the operation on the derived data, data corresponding to the extracted user's request and a situation, module and action which can be contained in the data are
30 extensively extracted in terms of temporal element, spatial element, object

element and thing element. In addition, the data corresponding to the extracted user's request and a temporal element, spatial element, object element and thing element which can be contained in the data are extensively extracted in terms of situation, module and action. The
5 operated, arranged and processed data is stored in memory units 701' through 703' which memorize the features of information acquired from each of the action, module and situation, as shown in FIG. 8.

In order to display the data, in step 910, the type of the data is determined. If the data corresponding to the user's request is document
10 data 920 including a character, a symbol or an image, the data resulting from the operation is transmitted to a document data processor and displayed in the form of an image or a character in step 940 or 950. If the data is multimedia data 930 including a moving image, the data resulting from the operation is transmitted to a multimedia data processor and
15 displayed in the form of a moving image in step 960. Here, document data and multimedia data are simultaneously displayed using document data recording the features of the multimedia data or the order therein.

The present invention can be applied to a variety of fields. For example, in the case where a user wants to find a situation related to
20 application for a driver's license, if the user enters the name of a related situation, the flow of situations of the application for a driver's license preceding and succeeding the entered situation is displayed, and the names of objects are listed as the names of related situations in order of time and space. When a situation in a particular region (space) is intended
25 to be found, a system is designed to ask a user a particular time. If the user does not answer, the system shows situations taken place in the particular region at the time corresponding to a default value in order of time. In addition, a situation is found using a module name or an object name, the flow of the situation contained in the situation is found, and the flow of an
30 action contained in a particular module is found. For example, by clicking

a situation related to traffic accidents, sentences and words about every module and action related to the traffic accidents can be derived. When a user wants to know a relationship between two objects, situations simultaneously appearing with the two objects and the roles played by the two objects in these situations are displayed. Particularly, in the case of a database including a moving image such as a film or a video, each event in the moving image is defined as a situation, each cut of motion occurring in the situation is defined as an action, and a set of actions is defined as a module so that a user can extract and view necessary part only in the moving image. Besides, the present invention can be applied to a variety of fields of industry such as English education, Internet search, newspaper search and case search.

Industrial Applicability

15 An information modeling method and a database search system according to the present invention have the following advantages.

First, when a user requests information such as historical materials, industrial information, documents, educational information or video information, the information is analyzed into temporal element, spatial element, temporal and spatial element, keyword, situation name, action and so on which are the elements of the user's request. Then, a database established according to information modeling according to the present invention is searched for situations, modules and actions related to the user's request so that information desired by the user can be extracted. Accordingly, probability of searching for desired information only increases.

25 Second, since a database system can process a user's request for information and can be extended simply by adding data, update and modification of the system is not necessary. Accordingly, cost for the update and modification of the system can be saved, and the inconvenience of using the system can be reduced.

30

Besides the above direct effects, information modeling and a search method using the information modeling according to the present invention have the following technological effects and expected effects.

First, multimedia contents in various fields such as linguistic, cultural, video and historical educations can be produced. Accordingly, methods of designing multimedia contents will be concretized and varied so that multimedia technology will be actively developed to support them. As a result, employment of personnel will increase in relation to production of linguistic, cultural and historical scenarios and videos. Moreover, the present invention will accelerate the development of multimedia technology and the growth of ultrahigh-speed network business.

Second, by using contents produced according to the present invention in the field of education, effects such as interactive multimedia education between users and providers, preparation of a learning environment suitable for a user's characteristics, and encouraging a user to learn can be expected. These contents produced according to the present invention can be utilized more intensively to cultivate excellent personnel suitable for the globalized and information-oriented age.

Third, the present invention prepares a foundation capable of providing multimedia educational contents suitable for commercialization of International Mobile Telecommunications (IMT)-2000 so that effects such as expansion of network facilities necessary for transmitting a large amount of data, development of hardware industry, changes in competitive relations between basic network providers, and real-time situation study for wireless terminal users can be obtained.

5 What is claimed is:

1. An information modeling method comprising the steps of:
receiving various kinds of data input by a user;
analyzing the input data into temporal information data including
temporal information, spatial information data including spatial information
10 indicating locations, object information data including object information
which is an object of the function of data other than the temporal
information data and the spatial information data and which interacts with
the other data, and thing information data including the remaining thing
information other than the temporal information, the spatial information and
15 the object information;
establishing a database having an action, a module and a situation,
the action being a minimum semantic unit and including at least one of the
temporal information data, the spatial information data, the object
information data and the thing information data, the module including the
20 action and at least one other action related to at least one of the temporal
information data, the spatial information data, the object information data
and the thing information data of the action, the situation including the
module and at least one other module related to at least one of the
temporal information data, the spatial information data, the object
25 information data and the thing information data of the module; and
extracting information requested by the user using the established
database.

2. The information modeling method of claim 1, wherein the
30 analyzing step comprises the steps of:

leading the temporal information data, the spatial information data,
the object information data and the thing information data to corresponding
unit cells; and

forming a common feature list, which can be commonly applied to the

5 unit cells including temporal information data, the spatial information data, the object information data and the thing information data, and a separate feature list of unit cells for leading the temporal information data, the spatial information data, the object information data and the thing information data to the corresponding each unit cell.

10

3. The information modeling method of claim 2, wherein the analyzing step further comprises the step of identifying each of the unit cells as unique one according to the feature of each of the temporal information data, the spatial information data, the object information data
15 and the thing information data.

4. The information modeling method of claim 2, wherein the analyzing step further comprises the steps of:

forming expressive properties by defining each of the temporal
20 information data, the spatial information data, the object information data and the thing information data as a formula in view of the name of at least one unit cell;

looking up the data names of the expressive properties; and

defining a path to each property's data name used for determining
25 a value of the property.

5. The information modeling method of claim 4, wherein the step of looking up the data names of the expressive properties comprises the step of performing extensive look-up with respect to the temporal
30 information data, the spatial information data, the object information data and the thing information data, and the extensive look-up step comprises the step of looking up the temporal information data name, spatial information data name, object information data name and thing information data name of the expressive properties to form at least one feature data list.

WO 01/50345

PCT/KR00/00505

5 6. The information modeling method of claim 1, wherein the database establishment step comprises the step of forming a group in which the unit cells corresponding to the temporal information data, the spatial information data, the object information data and the thing information data are assembled in a set having a common feature, the
10 group having a plurality of sets of unit cells having the common feature and at least one member property.

 7. The information modeling method of claim 6, wherein the database establishment step further comprises the steps of:
15 defining a formula in view of at least one group composed of a plurality of unit cells corresponding to the temporal information data, the spatial information data, the object information data and the thing information data which are included in the group;
 looking up the group name of a property in a plurality of groups; and
20 defining a path to the property's group name used for determining a value of the property.

 8. The information modeling method of claim 7, wherein the step of looking up the group name of the property comprises the step of
25 performing extensive look-up with respect to the plurality of groups, and the extensive look-up step comprises the step of looking up the group name of the property to form at least one feature data list thereof.

 9. The information modeling method of claim 6, wherein the
30 group comprises an action, a minimum semantic unit, including at least one unit cell corresponding to the temporal information data, the spatial information data, the object information data or the thing information data, a module including the action and at least one other action related to at least one of the temporal information data, spatial information data, object

5 information data and thing information data of the action, and a situation including the module and at least one other module related to at least one of the temporal information data, spatial information data, object information data and thing information data of the former module, each of the action, module and situation including independent information content.

10

10. A data search method comprising the steps of:

receiving information input by a user;

analyzing the information into temporal information data including
temporal information, spatial information data including spatial information
15 indicating locations, object information data including object information
which is an object of the function of data other than the temporal information data and the spatial information data and which interacts with the other data, and thing information data including the remaining thing
information other than the temporal information, the spatial information and
20 the object information;

searching a database which is composed of an action, i.e., a minimum semantic unit, including at least one among the temporal
information data, the spatial information data, the object information data
and the thing information data, a module including the action and at least
25 one other action related to at least one of the temporal information data, the spatial information data, the object information data and the thing information data of the former action, a situation including the module and at least one other module related to at least one of the temporal information data, the spatial information data, the object information data and the thing
30 information data of the former module, each of the action, module and situation including independent information content;

extracting data corresponding to the information requested by the user from the database; and

displaying the extracted data.

5 11. The data search method of claim 10, wherein in the step of searching the database, the action including at least one among the temporal information data, the spatial information data, the object information data and the thing information data which correspond to the analyzed information input by the user is looked up in the database, the
10 module including the action and at least one other action related to at least one of the temporal information data, the spatial information data, the object information data and the thing information data of the former action is looked up in the database, and the situation including the module and at least one other module related to at least one of the temporal information
15 data, the spatial information data, the object information data and the thing information data of the former module is looked up in the database.

 12. The data search method of claim 10, wherein the step of extracting the data comprises the steps of
20 performing an operation on the derived data so as to be adapted for the information requested by the user; and
arranging and processing the data resulting from the operation.

 13. The data search method of claim 10, wherein the step of
25 performing the operation comprises the steps of:

extensively extracting data corresponding to the information requested by the user and a situation, module and action which can be contained in the data, in terms of the temporal information data, the spatial information data, the object information data and the thing information data;
30 and

extensively extracting the data corresponding to the information requested by the user and the temporal information data, the spatial information data, the object information data and the thing information data which can be contained in the data, in terms of the situation, module and

WO 01/50345

PCT/KR00/00505

5 action.

14. The data search method of claim 10, wherein the display step comprises the step of transmitting the data extracted from the database to a document data processor if data corresponding to the information
10 requested by the user is document data including a character, a symbol or an image.

15. The data search method of claim 10, wherein the display step comprises the step of transmitting the data extracted from the database to
15 a multimedia data processor if data corresponding to the information requested by the user is multimedia data including a moving image.

1/8

FIG. 1





FIG. 2






3/8
FIG. 3

FIG. 4



4/8

FIG. 5



WO 01/50345

PCT/KR00/00505

5/8

FIG. 6A





FIG. 6B



e: ENDING TIME
b: BEGINNING TIME
Si: SPACE OF SITUATION i

6/8

FIG. 6C







FIG. 6D



7/8
FIG. 7

8/8

FIG. 8



INTERNATIONAL SEARCH REPORT

national application No.
PCT/KR00/00505

A. CLASSIFICATION OF SUBJECT MATTER**IPC7 G06F 17/30**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7 G06F 17/30, IPC7 G06F 17/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

KOREAN PATENTS AND PPLICATIONS FOR INVENTIONS SINCE 1975

KOREAN UTILITY MODELS AND APPLICATIONS FOR UTILITY MODELS SINCE 1975

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI, PAJ, IEEE/IEE ELECTRONIC LIBRARY(1988) "TEMPORAL" "SPATIAL" "DATABASE"

HTTP:// WWW.PATENTS.IBM.COM

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	KR98-048464 A(ELECTRONIS TELECOMMUNICATION RESEARCH INSTITUTE) SEPT.15, 1998 *ABSTRACTS	1, 10
A	KR98-048464 A(ELECTRONIS TELECOMMUNICATION RESEARCH INSTITUTE) SEPT.15, 1998 *ABSTRACTS	1, 10
A	WO9838561 A2(TELCONTAR) DEC.3,1998 *ABSTRACTS	1, 10
A	US5440730A (Bell Communication Rearch Inc.) AUG. 8, 1995 *ABSTRACTS	1, 10

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:
 "A" document defining the general state of the art which is not considered to be of particular relevance
 "E" earlier application or patent but published on or after the international filing date
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)
 "O" document referring to an oral disclosure, use, exhibition or other means
 "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
 "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
 "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
 "&" document member of the same patent family

Date of the actual completion of the international search

02 OCTOBER 2000 (02.10.2000)

Date of mailing of the international search report

04 OCTOBER 2000 (04.10.2000)

Name and mailing address of the ISA/KR

Korean Industrial Property Office
 Government Complex-Taejon, Dunsan-dong, So-ku, Taejon
 Metropolitan City 302-701, Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer:

UHM, In Kwon

Telephone No. 82-42-481-5786



INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/KR00/00505

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
KR 98-048464 A	15.09.98	NONE	
KR 98-048464 A	15.09.98	NONE	
WO 9838561 A2	03.12.98	US 5963956	05.10.99
US 5440730A	08.08.95	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.